



DOT-406

PETROLEUM TRAILER



DOT-406

PETROLEUM TRAILER

MAC LTT offers our customers an extensive line of DOT-406 Semi Trailers, Trains and Truck Mount Tanks. With two strategically located manufacturing facilities, state of the art equipment and a vastly experienced Management, Engineering and Manufacturing staff, we are able to serve you from coast to coast.

- Aluminum two piece barrel design with single circumferential seam, eliminates multiple barrel seams
- Custom capacities, compartment sizes, and bulk head placements, to satisfy all customer needs
- Available in low profile elliptical, double conical, and straight bottom designs
- Wide array of piping configurations, discharge systems, and vapor recovery based on customer preference
- Available in full frame or frameless design with both offering long-term durability and designed to increase payload.
- Insulated petroleum trailers available
- Truck mount, A and B train configurations available
- Custom ladder and walk way configurations to ensure safe and user-friendly, ergonomically designed for ease of operation and backed by MAC LTT parts, service, and warranty
- Aerodynamic options available, including but not limited to, internal vapor recovery systems, over turn protection wind dams, and under carriage trailer skirting.

Base Model	ATE-9500-4A-406
Overall Length/Shape	45 Foot Double Tapered with 8" Slope
Capacity	9,500 Gallons up to +3% with a 60 Gallons Minimum Outage for any Compartment
Compartments	Four (4) 3500//2000//1200//2800 with All Double Bulkheads.
Operating Temperature	-20° F to 125° F max. Operating Temperature
Operating Pressure	3.3 PSI with 5.0 PSI Test Pressure
Suspension	Hendrickson Intraxx AAT23K Air Suspension with HXL5, 5 Year Warranty Package
Suspension Track	71 1/2" Track
Suspension Spread	49" Axle Spacing
Subframe	Aluminum Extruded Subframe Bolted to Aluminum Tank Frame
Hub/Drum	11.25 Bolt Circle x 10 Stud Hub-Piloted, Dura-Light Hub with Cast Drum
ABS/Roll Stability	Wabco 4S/2M with Roll Stability System for Tandem Airride with Inline Filter or Equivalent
Wheels	Alcoa 24.5 X 8.25 Hub Piloted 10 Hole Aluminum Wheels with LVL Finish
Tires	Michelin/BF Goodrich
Cabinet	Customer Specifications
Hose Carrier	Customer Specifications
Piping	Customer Specifications



60" Wide Three Door Cabinet to House Overfill System and Controls



Cosmetic Bumper Overlay Polished or Mill Finish



Blackmere Pump



Pin Stripping Available in MAC Blue, Black and Red
Custom Colors also available
Contact Sales for Inquiry



www.loves.com

Loves

MAC LTT
OF EDWARDS & KELCEY

MAC LTT
OF EDWARDS & KELCEY

MAC LTT
OF EDWARDS & KELCEY

MAC LTT IS COMMITTED TO QUALITY, CUSTOMER SERVICE AND PERFORMANCE
TO ENSURE THAT OUR VALUED CUSTOMERS GET THE PRODUCT THEY EXPECT AND
DESERVE – PRODUCT THAT PERFORMS TO THE STANDARDS THE CUSTOMER REQUESTS!



Experience Excellence

As a manufacturer, MAC LTT recognizes the complexity of today's ever changing market and the necessity to make you more competitive with advanced design trailers that will reduce weights, optimize payloads, maximize performance and enhance ergonomics to increase your overall profitability.

For MAC LTT, **new technology** is
not something you purchase, but rather
have the **vision and ability to create.**



1400 Fairchild, Ave.,
Kent, Ohio 44240
330-474-3795
330-968-4865 fax

1430 HWY 87 E
Billings, MT 59101
406-252-7163
406-256-6159 fax

855-6MACLTT
sales@macitt.com • www.macitt.com